

## S19-01

Product Breakdown Tier 1 1000mm OD

Dimensions OD 1000mm Height 216mm

Weight Brass 7.5kg Aluminium5kg

Light Source Led Matrix

3000k

Decrotive Lighting Only

Power Light Wattage 20w

Driver Wattage 40w Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop


heights available on request.


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling

rose.

 $\begin{array}{ll} \hbox{Driver Dimensions} & \hbox{137 x 81.5 x 31mm} \\ \hbox{Ceiling Rose Dimensions} & \hbox{200 x 52mm} \end{array}$ 





### Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

### Glass Finish



Opal White



Smoked





## S19-02

Product Breakdown Tier 1 1000mm OD

Dimensions OD 1000mm Height 241mm

· ·

Weight Brass 10.3kg Aluminium6.6kg

Light Source Led Matrix

3000k

Decrotive Lighting Only

Power Light Wattage 26w

Driver Wattage 40w Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop


heights available on request.


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling

rose.

 $\begin{array}{ll} \hbox{Driver Dimensions} & \hbox{137 x 81.5 x 31mm} \\ \hbox{Ceiling Rose Dimensions} & \hbox{200 x 52mm} \end{array}$ 





### Metal Finish



Polished Brass



Black Anodised





Silver Anodised



Burnished Brass

### Glass Finish



Opal White



Smoked





## S19-03

Product Breakdown Tier 1 1000mm OD

Dimensions OD 1000mm Height 226mm

Weight Brass 12.8kg Aluminium8.2kg

Light Source Led Matrix

3000k

Decrotive Lighting Only

Power Light Wattage 26w

Driver Wattage 40w Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop


heights available on request.


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling

rose.

 $\begin{array}{ll} \hbox{Driver Dimensions} & \hbox{137 x 81.5 x 31mm} \\ \hbox{Ceiling Rose Dimensions} & \hbox{200 x 52mm} \end{array}$ 





### Metal Finish



Polished Brass



Black Anodised





Silver Anodised



**Burnished Brass** 

### Glass Finish



Opal White



Smoked





## S19-04

Product Breakdown Tier 1 1000mm OD Tier 2 1200mm OD

Dimensions OD 1000mm Height 428mm

Weight Brass 16kg Aluminium10kg

Light Source Led Matrix 3000k

Decrotive Lighting Only

Power Light Wattage 40w Driver Wattage 90w

Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop


heights available on request.


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling

rose.

 $\begin{array}{ll} \hbox{Driver Dimensions} & 180 \times 60 \times 35 \hbox{mm} \\ \hbox{Ceiling Rose Dimensions} & 200 \times 52 \hbox{mm} \end{array}$ 





### Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

### Glass Finish



Opal White



Smoked





## S19-05

Product Breakdown Tier 1 1200mm 0D Tier 2 800mm 0D

Dimensions OD 1200mm Height 425mm

Weight Brass 15.5kg Aluminium10kg

Light Source Led Matrix 3000k

Decrotive Lighting Only

Power Light Wattage 40w Driver Wattage 90w

Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop


heights available on request.


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling

rose.

 $\begin{array}{ll} \hbox{Driver Dimensions} & 180 \times 60 \times 35 \hbox{mm} \\ \hbox{Ceiling Rose Dimensions} & 200 \times 52 \hbox{mm} \end{array}$ 





### Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



**Burnished Brass** 

### Glass Finish



Opal White



Smoked





## S19-06

Product Breakdown Tier1 800mm 0D Tier2 1400mm 0D

Dimensions OD 1400mm Height 528mm

Weight Brass 26.3kg Aluminium16.8kg

Light Source Led Matrix 3000k

Decrotive Lighting Only

Power Light Wattage 64w Driver Wattage 90w

Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop


heights available on request.


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling

rose.

 $\begin{array}{ll} \text{Driver Dimensions} & 180 \times 60 \times 35 \text{mm} \\ \text{Ceiling Rose Dimensions} & 200 \times 52 \text{mm} \end{array}$ 





### Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

### Glass Finish



Opal White



Smoked





S19-07

Product Breakdown Tier 1 1200mm 0D Tier 2 800mm 0D

Dimensions OD 1200mm Height 428mm

Weight Brass 20.5kg Aluminium13.2kg

Light Source Led Matrix

3000k

Decrotive Lighting Only

Power Light Wattage 52w

Driver Wattage 90w Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop


heights available on request.


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling

rose.

 $\begin{array}{ll} \text{Driver Dimensions} & 180 \times 60 \times 35 \text{mm} \\ \text{Ceiling Rose Dimensions} & 200 \times 52 \text{mm} \end{array}$ 





### Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



**Burnished Brass** 

### Glass Finish



Opal White



Smoked





## S19-08

Product Breakdown Tier 1 1200mm 0D Tier 2 800mm 0D

Dimensions OD 1200mm Height 478mm

Weight Brass 20.5kg Aluminium13.2kg

Light Source Led Matrix

3000k

Decrotive Lighting Only

Power Light Wattage 52w Driver Wattage 90w

Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop


heights available on request.


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling

rose.

 $\begin{array}{ll} \text{Driver Dimensions} & 180 \times 60 \times 35 \text{mm} \\ \text{Ceiling Rose Dimensions} & 200 \times 52 \text{mm} \end{array}$ 





### Metal Finish



Polished Brass



Black Anodised





Silver Anodised



Burnished Brass

### Glass Finish



Opal White



Smoked





## S19-09

Product Breakdown Tier 1 1200mm 0D Tier 2 800mm 0D

Dimensions OD 1200mm Height 478mm

Weight Brass 25.5kg Aluminium16.5kg

Light Source Led Matrix

3000k

Decrotive Lighting Only

Power Light Wattage 64w

Driver Wattage 90w Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop


heights available on request.


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling

rose.

 $\begin{array}{ll} \hbox{Driver Dimensions} & 180 \times 60 \times 35 \hbox{mm} \\ \hbox{Ceiling Rose Dimensions} & 200 \times 52 \hbox{mm} \end{array}$ 





### Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



**Burnished Brass** 

### Glass Finish



Opal White



Smoked





## S19-10

Product Breakdown Tier1 800mm OD

Tier 2 1200mm OD Tier 3 800mm OD

Dimensions OD 1200mm Height 640mm

Weight Brass 22.7kg Aluminium14.8kg

Light Source Led Matrix

3000k

Decrotive Lighting Only

Power Light Wattage 60w

Driver Wattage 90w Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop


heights available on request.


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling

rose.

 $\begin{array}{ll} \hbox{Driver Dimensions} & 180 \times 60 \times 35 \hbox{mm} \\ \hbox{Ceiling Rose Dimensions} & 200 \times 52 \hbox{mm} \end{array}$ 






### Metal Finish



Polished Brass



Black Anodised





Silver Anodised



**Burnished Brass** 

### Glass Finish



Opal White



Smoked





## S19-11

Product Breakdown Tier 1 1400mm OD

Tier 2 1200mm OD Tier 3 800mm OD

Dimensions OD 1400mm Height 715mm

Tiolghe Tiolilli

Weight Brass 32kg Aluminium20.3kg

Light Source Led Matrix

3000k

Decrotive Lighting Only

Power Light Wattage 77w Driver Wattage 90w

Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop


heights available on request.

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling

rose.

 $\begin{array}{ll} \text{Driver Dimensions} & 180 \times 60 \times 35 \text{mm} \\ \text{Ceiling Rose Dimensions} & 200 \times 52 \text{mm} \end{array}$ 




### Metal Finish



Polished Brass



Black Anodised





Silver Anodised



**Burnished Brass** 

### Glass Finish



Opal White



Smoked





## S19-12

Product Breakdown Tier1 800mm OD

Tier 2 1400mm OD Tier 3 800mm OD

Dimensions OD 1400mm

Height 690mm

Weight Brass 38.3kg Aluminium24.8kg

Light Source Led Matrix

3000k

Decrotive Lighting Only

Power Light Wattage 96w

Driver Wattage 100w Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as stand-


ard. Max drop height is 1500mm. Custom drop heights available on request.


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling

rose.

 $\begin{array}{ll} \hbox{Driver Dimensions} & 180 \times 60 \times 35 \hbox{mm} \\ \hbox{Ceiling Rose Dimensions} & 200 \times 52 \hbox{mm} \end{array}$ 





### Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

### Glass Finish



Opal White



Smoked





## S19-13

Product Breakdown Tier 1 800mm OD

Tier 2 1200mm OD Tier 3 800mm OD

Dimensions OD 1200mm Height 216mm

Weight Brass 7.9kg Aluminium5kg

Light Source Led Matrix

3000k

Decrotive Lighting Only

Power Light Wattage 20w

Driver Wattage 40w Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop


heights available on request.


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling

rose.

 $\begin{array}{ll} \hbox{Driver Dimensions} & \hbox{137 x 81.5 x 31mm} \\ \hbox{Ceiling Rose Dimensions} & \hbox{200 x 52mm} \end{array}$ 





### Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

### Glass Finish



Opal White



Smoked

