


S36-01

Product Breakdown	Singular pendent light. Direct Attach as standard	
Dimensions	OD Height	100mm 404mm
Weight	Brass Aluminium	1.6kg 0.6kg
Light Source	Led Matrix 3000k Decorative Lighting	Only
Power	Light Wattage Driver Wattage Voltage IP20 Rated	3w 15w 110-130v / 220-240v
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	





Metal Finish



Brushed Brass

Burnished Brass

Polished Brass



Silver Anodised




Glass Finish



S36-02

Product Breakdown	A cluster of pendent lights.	
Dimensions	OD Height	205mm 804mm
Weight	Brass Aluminium	4.8kg 1.8kg
Light Source	Led Matrix 3000k Decorative Lighting	Only
Power	Light Wattage Driver Wattage Voltage IP20 Rated	9w 15w 110-130v / 220-240v
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose. Custom Ceiling attachments available.	





Metal Finish

Polished Brass



Brushed Brass

Burnished Brass



Black Anodised




Glass Finish



S36-03

Product Breakdown	A cluster of pendent lights.	
Dimensions	OD Height	270mm 1404mm
Weight	Brass Aluminium	8kg 3kg
Light Source	Led Matrix 3000k Decorative Lighting Only	
Power	Light Wattage Driver Wattage Voltage IP20 Rated	15w 40w 110-130v / 220-240v
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess	





Metal Finish Polished Brass

being the ceiling or enclosed within a ceiling rose. Custom Ceiling attachments available.



Brushed Brass

Burnished Brass



Black Anodised



Glass Finish





S36-04

S36-04	4					\prod
Product Breakdown	A cluster of pendent	lights.				
Dimensions	OD Height	336mm 1604mm				
Weight	Brass Aluminium	11.2kg 4.2kg		1840		
Light Source	Led Matrix 3000k Decorative Lighting	Only		18		
Power	Light Wattage Driver Wattage Voltage IP20 Rated	21w 40w 110-130v / 220-240v				
Hanging	direct attach and ful Light supplied with	nanging options. Including ly enclosed ceiling roses. 1500mm / 3000mm length of d cut to desired length on site.				
Driver		within 8m of the light, in a recess enclosed within a ceiling rose.			336	}
Metal Finish			Glass Fin	iish		
Polished Bras	as 🔽	Black Anodised		Opal White		Amber
Brushed Bras	ss	Silver Anodised		Smoked		Green

Pink


Blue

Burnished Brass



S36-05

Product Breakdown	An array of pendent lights. Direct Attach as standard	
Dimensions	Height Length Depth	404mm 300mm 100mm
Weight	Brass Aluminium	3.2kg 1.2kg
Light Source	Led Matrix 3000k Decorative Lighting Only	
Power	Light Wattage Driver Wattage Voltage IP20 Rated	6w 15w 110-130v / 220-240v
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose. Custom Ceiling attachments available.	




Metal Finish
Glass Finish

Image: Polished Brass
Image: Polished




S36-09

Product Breakdown	A single Pill pendent hung from a compact wall plate.	
Dimensions	Pill OD Height Depth	100mm 404mm 150mm
Weight	Brass Aluminium	1.6kg 0.6kg
Light Source	Led Matrix 3000k Decorative Lighting	Only
Power	Light Wattage Driver Wattage Voltage IP20 Rated	3w 15w 110-130v / 220-240v
Hanging	Light supplied with 1500mm / 3000mm length of cable to be hung and cut to desired length on site.	
	Wall Plate OD 100mm Height 36mm	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess behind the wall or enclosed within the wall plate.	



Empty State







Smoked

Pink





Burnished Brass

technical@emptystate.com emptystate.com

03-2023-REV-F