


# Empty State








## S06-01

Dimensions	50 x 1050 mm	
Weight	Brass	2.4kg
	Aluminium	0.8kg
Light Source	Led Bulbs 3000k Decorative Lighting Only	
Power	Light Wattage	8w
	Driver Wattage	15w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	94 x 40 x 25mm
	Ceiling Rose Dimensions	228 x 48 x 29mm



### Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

### Glass Finish


-  Frosted

# Empty State








## S06-02

Dimensions	50 x 1350 mm	
Weight	Brass	3kg
	Aluminium	1kg
Light Source	Led Bulbs 3000k Decorative Lighting Only	
Power	Light Wattage	8w
	Driver Wattage	15w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	94 x 40 x 25mm
	Ceiling Rose Dimensions	228 x 48 x 29mm



### Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

### Glass Finish


-  Frosted

# Empty State








## S06-03

Dimensions	51 x 1650 mm	
Weight	Brass	3.7kg
	Aluminium	1.2kg
Light Source	Led Bulbs 3000k Decorative Lighting Only	
Power	Light Wattage	8w
	Driver Wattage	15w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	94 x 40 x 25mm
	Ceiling Rose Dimensions	368 x 48 x 29mm




### Metal Finish

### Glass Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass



-  Frosted

# Empty State








## S06-04

Dimensions	50 x 1050 mm	
Weight	Brass	6kg
	Aluminium	2kg
Light Source	Led Bulbs 3000k Decorative Lighting Only	
Power	Light Wattage	16w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31mm
	Ceiling Rose Dimensions	Pair 228 x 48 x 29mm



### Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

### Glass Finish


-  Frosted

# Empty State








## S06-05

Dimensions	OD	1320mm
	Height	367mm
Weight	Brass	12.3kg
	Aluminium	3.9kg
Light Source	Led Bulbs	3000k
		Decorative Lighting Only
Power	Light Wattage	32w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31mm
	Ceiling Rose Dimensions	250x 35mm



### Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

### Glass Finish



-  Frosted

# Empty State








## S06-06

Dimensions	OD	1320mm
	Height	368mm
Weight	Brass	18.5kg
	Aluminium	5.9kg
Light Source	Led Bulbs	3000k
		Decorative Lighting Only
Power	Light Wattage	48w
	Driver Wattage	90w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	180 x 60 x 35mm
	Ceiling Rose Dimensions	250x 35mm



### Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

### Glass Finish



-  Frosted

# Empty State



## S06-07

Dimensions	OD	1320mm
	Height	367mm
Weight	Brass	24.6kg
	Aluminium	7.8kg
Light Source	Led Bulbs	3000k
	Decorative Lighting Only	
Power	Light Wattage	64w
	Driver Wattage	90w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	180 x 60 x 35mm
	Ceiling Rose Dimensions	250x 35mm



### Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

### Glass Finish





Frosted

# Empty State








## S06-08

Dimensions	OD	1320mm
	Height	366mm
Weight	Brass	30.7kg
	Aluminium	9.8kg
Light Source	Led Bulbs	3000k
	Decorative Lighting Only	
Power	Light Wattage	80w
	Driver Wattage	90w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	180 x 60 x 35mm
	Ceiling Rose Dimensions	250x 35mm



### Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

### Glass Finish

-  Frosted